



IPR

Docket No.: M1071.1871
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Motoharu Hiroshima

Application No.: 10/685,807

Confirmation No.: 5134

Filed: October 16, 2003

Art Unit: 2819

For: DIELECTRIC RESONATOR, DIELECTRIC FILTER, DIELECTRIC DUPLEXER AND COMMUNICATION APPARATUS INCORPORATING THE SAME

Examiner: J. B. Nguyen

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

INTRODUCTORY COMMENTS

In response to the Office Action dated January 12, 2005, please reconsider the above-identified U.S. patent application amended as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 9 of this paper.

FEE CALCULATION

Any additional fee required has been calculated as follows:

If checked, Small Entity status is claimed

	No. Claims After Amendment		Highest No. Previously Paid For		Extra Present		Rate	Additional Fee
Total	20	MINUS	26**	=	0	X		\$
Indep.	3	MINUS	3**	=	0	X		\$
First presentation of multiple dependent claim(s)						X		\$
TOTAL							\$	-0-

* not less than 20

** not less than 3

In the event the actual fee is greater than the payment submitted or is inadvertently not enclosed or if any additional fee during the prosecution of this application is not paid, the Patent Office is authorized to charge any underpayment or credit any overpayment to Deposit Account No. 50-2215.

CONTINGENT EXTENSION REQUEST

If this communication is filed after the shortened statutory time period had elapsed and no separate Petition is enclosed, the Commissioner of Patents and Trademarks is petitioned, under 37 C.F.R. § 1.136(a), to extend the time for filing a response to the outstanding Office Action by the number of months which will avoid abandonment under 37 C.F.R. § 1.135. The fee under 37 C.F.R. § 1.17 should be charged to our Deposit Account No. 50-2215.